Docket #: S15-248

Highly Conductive, Stretchable Polymer

Stanford researchers have developed a highly conductive, stretchable polymer that is durable enough for wearable electronics. To improve flexibility they doped poly(3,4-ethylenedioxythiophene) polystyrene sulfonate (PEDOT:PSS)with ionic liquid plasticizer. The plasticizer provides a fiber-like morphology, improves connectivity and conductively via the doping anions. The transparent doped PEDOT:PSS is stretchable to twice its initial length, and maintains conductivity on the order of 10^2 to 10^3 S/cm. The water based dispersion can be directly printed onto substrates, making it an excellent electrode or interconnect for wearable electronic devices.



Figure 1 Photographs illustrating the minimal change in LED brightness as the device is stretched under twisting and poked with a sharp object, respectively.

Stage of Research

Researchers continue to test different ionic liquids and processing methods to optimize properties.

Applications

- Stretchable conductor for:
 - Wearable electronics / biomedical device electrodes and interconnects
 - Strain or pressure sensors
 - Stretchable battery electrodes

Advantages

- High conductivity 3100 S/cm increases to > 4100 S/cm under strain due to chain alignment
- Excellent durability conductivity maintained after 1000 cycles at 100% strain with fracture strain > 800%
- Low temperature sensitivity, making it an excellent interconnect
- Easy integration directly printed and patterned onto substrates, compatible with organic semiconductor components
- Easy fabrication -commercially available, well characterized

Publications

• Wang, Y., Zhu, C., Pfattner, R., Yan, H., Jin, L., Chen, S., . . . Bao, Z, "<u>A highly stretchable, transparent, and conductive polymer</u>, "Science Advances, 3(3). doi:10.1126/sciadv.1602076

Patents

Published Application: WO2017124020
Published Application: 20180327543

Issued: <u>11,499,007 (USA)</u>

Innovators

- Yue Wang
- Zhenan Bao

Licensing Contact

Evan Elder

Senior Licensing Associate

Email