

Electro-thermochemical Li Cycling for NH₃ Synthesis from N₂ and H₂O

Stanford researchers at the Jaramillo, Nørskov, and Cargnello Labs have developed an improved system to generate NH₃ (ammonia) from N₂ and H₂O via a low-pressure, electro-thermochemical, sustainable alternative to the conventional Haber-Bosch process.

The prevalent Haber-Bosch manufacturing technique, which reacts N₂ with H₂, has a number of drawbacks. It consumes large amounts of natural gas to obtain H₂, emits carbon dioxide, and requires high-pressure conditions that force the use of expensive centralized factories. The new technology resolves a number of these concerns. The use of water in place of H₂ obviates the need for fossil fuels, the technique emits only H₂O and O₂ as byproducts, and less rigorous pressure requirements reduce the cost of running the process. Moreover, this technique could allow for the local production of ammonia that would then be put immediately into the soil, reducing the cost of fertilizer and maximizing nitrogen utilization efficiency. Thus, this technology could allow for cheaper, less energy-consuming, and more environmentally friendly production and use of ammonia, compared to current standards.




Figure description - A schematic of one possible set-up for an ammonia-producing system; given N_2 and H_2O inputs, the system releases ammonia and byproducts H_2O and O_2 .

Stage of Research as of October 2016

- Proof-of-concept completed
- 88.5% current efficiency to ammonia demonstrated

Applications

- **Ammonia production** from water and N_2 for use as:
 - Fertilizer
 - Chemical precursor to many nitrogen-containing chemicals
 - Fuel alternative
 - Energy storage from renewable sources (wind, solar, etc.)

Advantages

- Ammonia production without the use of H_2 and fossil fuels
- **Energy-efficient** May provide a means by which to resolve energy concerns with the Haber-Bosch process, which requires over 1% of the entire global energy and 3-5 % of the natural gas supply for pre-requisite hydrogen production
- **Lower-cost** less high-pressure requirements than Haber-Bosch, allowing for less equipment and operational costs
- **Enables local manufacturing**- could be produced locally instead of inside large factories, reducing distribution costs and maximizing nitrogen utilization efficiency
- **Environmentally-friendly**: unlike Haber-Bosch, does not emit CO_2

Publications

- J.M. McEnaney, A.R. Singh, J.A. Schwalbe, J. Kibsgaard, J.C. Lin, M. Cargnello, T.F. Jaramillo, and J.K. Nørskov, "[Ammonia synthesis from \$\text{N}_2\$ and \$\text{H}_2\text{O}\$ using a lithium cycling electrification strategy at atmospheric pressure](#)". *Energy and*

Innovators

- Thomas Jaramillo
- Joshua McEnaney
- Jens Norskov
- Aayush Singh
- Jay Schwalbe
- John Lin
- Matteo Cargnello
- Jakob Kibsgaard

Licensing Contact

Evan Elder

Senior Licensing Associate

[Email](#)