

# **Cell Line for Optically-based Screening of Ion Channel Modulators**

Ion channel dysfunctions lead to a wide array of illnesses including epilepsy, cardiac arrhythmia and type II diabetes. However, the number of clinically approved drugs for restoring normal ion channel function is limited. A major bottleneck for the development of new ion channel drugs is that present screening methodologies are primarily based on patch clamping, a powerful, but time consuming technique that only allows examination of only a handful of compounds a day. Stanford University scientists have developed a concept system for high-throughput screening of ion channel drugs using optical stimulation and fluorescent read-out.

In this system, light of the proper wavelength is cast upon the optically-gated cells in each well in the presence of a novel compound, the cells will react or fail to react to the light, based upon the drugs' properties. To create this system, a light sensitive ion channel (e.g. *Chlamydomonas* channelrhodopsin-2 and *Volvox* channelrhodopsin-1) and a voltage-gated Ca<sup>2+</sup> channel are co-expressed in 293T cells. Upon illumination with the appropriate wavelength of light, light-mediated depolarization activates the co-expressed voltage-gated Ca<sup>2+</sup> channels. The subsequent activity of Ca<sup>2+</sup> channel in the presence of different small molecules is the optically monitored using either a fluorescent indicator dye (i.e. Fura-2) or genetically encoded activity sensor. The fluorescence signal is recorded via time-lapse imaging for later analysis.

## **Applications**

- High-throughput screening for therapeutics that target ion channels

## **Advantages**

- Improved screening throughput by eliminating the need for cumbersome mechanical manipulation and liquid handling
- Added ability to repeat the screening assay using the same samples
- Reduced screening cost by eliminating the need for chemically-based fluorescence reporters
- High temporal precision and low signal artifact since all of the voltage manipulation is accomplished optically
- Ability to modulate the level of depolarization by attenuating the light intensity used for stimulation
- Ability to look at kinetics of the drug's modulation on the ion channel using pulsed light patterns

## Publications

- US Patent Application: [12/187,927](#)
- Schneider MB, Gradinaru V, Zhang F, Deisseroth K. [Controlling Neuronal Activity](#). Am J Psychiatry. 2008 May;165(5):562.

## Patents

- Published Application: [20090099038](#)
- Published Application: [20130288365](#)
- Published Application: [20160258929](#)
- Published Application: [20200072817](#)
- Issued: [9,274,099 \(USA\)](#)
- Issued: [10,451,608 \(USA\)](#)

## Innovators

- Karl Deisseroth
- Feng Zhang
- Viviana Gradinaru
- Michael Schneider

# Licensing Contact

**Evan Elder**

Associate Director, Licensing and Strategic Alliances, Physica

[Email](#)