

**Docket #:** S23-452

# **Non-invasive profiling of urinary tract tissues with urine liquid biopsy**

Researchers at Stanford and UCSF have determined methods of performing cell-free RNA (cfRNA) transcriptomics and metabolomics on urine samples.

Urine is assayed alongside blood in medicine, however current clinical diagnostic tests exploit only a minor fraction of its biomolecular repertoire, thereby foregoing high-resolution insights into human health and disease. For instance, current state-of-the-art liquid biopsies are largely focused on nucleic acids in blood plasma. Urine is the ultra-filtrate of blood; some molecules that are present at very low levels in the blood are hyper-concentrated in urine, offering an orthogonal readout to a plasma liquid biopsy. Additionally, urine provides a direct, noninvasive window into the health and functioning of cell types and tissues with low representation in blood. Therefore, the replacement or use of a urine liquid biopsy relative to current clinical readouts on urine (e.g., albumin, urine dipstick, serum creatinine, etc.) may provide a more direct readout into underlying disease.

## **Stage of Development**

Research – in vitro

## **Stage of Research**

The inventors have developed methods of detecting cell-free RNA (cfRNA) as well as metabolites in urine samples. This method can be applied as a direct readout for disease, for example as a method of evaluating kidney function, prostate function, or bladder function in a human.

## **Technology Reference Numbers**

CZ Biohub SF ref. no. CZB-298S

Stanford ref. no. S23-452

UCSF ref. no. SF2024-079

## Applications

- Characterization of the urine transcriptomic landscape.
- Urine liquid biopsies exhibit distinct cell types of origin from the plasma cell-free RNA transcriptome.
- Untargeted metabolomics for a functional readout of the urinary metabolic landscape.

## Advantages

- For organs interfacing with other bodily fluids, blood may not facilitate sufficient analytical sensitivity on their health and function.
- While RNA offers insights into the underlying changes in gene expression, metabolomics provides a functional readout.
- The ability to non-invasively resolve bladder urothelial, renal and prostate epithelia at cell type resolution.

## Publications

- Vorperian, S., Bertozzi, C., Quake, S., et al., [Multiomics characterization of cell type repertoires for urine liquid biopsies](#). bioRxiv (October 2023).

## Innovators

- Sevahn Vorperian
- Stephen Quake
- Gabriel Loeb

## Licensing Contact

**Sunita Rajdev**

Senior Director, Licensing and Strategic Alliances

[Email](#)